

**SOLID ZIRCONIA**

- EZ 1200 (Bruxzir) 1200MPA
- EZ High Translucent 1000 MPA (High Esthetics)
- EZ Mono Zr 1200MPA (Monolithic (1) Shade only)

**LITHIUM DISILICATE**

- A.max Mono (Emax/Lithium Disilicate)
- A.max Layered (High Esthetics)

**LAYERED CERAMICS**

- Layered Zr
- Porcelain on A.max
- Porcelain on LiSi


**PFM**

- Base
- Noble


**FCC**

- Base
- Noble Yellow
- High Noble Yellow

**PONTIC DESIGN**



**PFM MARGIN**



Doctor's Name: \_\_\_\_\_


Phone: \_\_\_\_\_ Sex: \_\_\_\_\_

Address: \_\_\_\_\_

Patient's Name: \_\_\_\_\_

**Delivery By 5PM On:** \_\_\_\_\_

**Appointment Date:** \_\_\_\_\_



Shade	ShadeWave (Indicate Date)	Articulator

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Supply Requests:**  RX Sheets  Boxes  Mailing Labels

Net amount of invoice is due within 30 days of receipt of order. All balances beyond 30 days are subject to a 2% Late Fee per month not to exceed 24% per year. I agree to pay reasonable attorney fees and collection costs if this account is referred to collection.

**DOCTOR'S SIGNATURE:** \_\_\_\_\_

**LIC. NO.** \_\_\_\_\_ **EMAIL:** \_\_\_\_\_

**CHECK ALL THAT APPLY:**

(Try-in required for cases with open ended saddles or missing more than 6 teeth or warranty is void.)

- Maxillary  Economy  Photos sent by email (photos@artisticdl.com)
- Mandibular  Premium

**FULL DENTURE:**

- Custom Tray  Immediate  Reset
- Baseplate / Bite Rim  Set Teeth  Finish

**HYBRID TEMP / SURGICAL GUIDE:**

- Maxillary  Set Teeth
- Mandibular  Finish

**HYBRID ALL-ON-4 / BAR:**

- Bar Try-in Only  Reset
- Set Teeth Over Bar  Finish

Implant Manufacturer: \_\_\_\_\_

**HYBRID ZIRCONIA:**

- Set Teeth  Finish Provisional
- Reset  Approved Provisional for Final
- Zirconia Restoration

Implant Manufacturer: \_\_\_\_\_

**METAL FRAMEWORK:**

- Design Only  Frame/Set Teeth
- Frame Only  Frame/Set Teeth/Finish
- Frame/Bite Block  Finish

**ACRYLIC PARTIAL / FLIPPER:**

- Set Teeth  Bent Wire Clasp  Ball Clasp
- Reset  Flex Clasp  Finish

**OTHERS:**

- Hard Reline  Soft Reline  Rebase  Repair

**DENTURE SHADE:**

- Pink  Light Pink  Light Ethnic  Dark Ethnic

**DURAFLEX**

- Set Teeth  Finish
- Reset  Hybrid (Metal Framework with Flexible Clasp)

**DURAFLEX TISSUE**

- Pink  Tissue Tone  Clear
- Medium Pink  Dark Pink  True Pink

**IMPLANT RESTORATIONS**

(Please Check All That Apply)

Implant System: \_\_\_\_\_

Implant Sizes (if applicable): \_\_\_\_\_

- Genuine Components  In Lab Components
- Make this my preference
- Cement Retained (Titanium Abutment)
- Screw Access Hole (needs to be on occ. surface)
- Angle Screw Channel (special drivers required)
- Screw Retained (Ti-Base)

**NIGHTGUARDS / SPLINTS**

(Please Check All That Apply)

**APPLIANCE TYPE:**

- Flat Plane Occlusal Splint
- With opp. cusp indentions
- Tanner Splint
- Comfort Hard/Soft
- Soft Occlusal Guard
- Anterior Repositioning Splint

**ARCH CHOICE:**

- Maxillary
- Mandibular

**MATERIAL CHOICE:**

- Hard
- Thermoplastic
- Dual

**COLOR:**

- Clear  Toothshade  White

FM 4.3-000-07